

k Fire Protection District – 1

1 quarantine completed 4/7

Long Grove Fire Protection District – 2

2 quarantine completed 9/16

Lyons Fire Department – 1 – 1 positive

1 quarantine completed 4/23 - 1

Markham Fire Department - 3 – 3 positives

1 quarantine completed 7/19 – 1

1 quarantine completed 9/7 - 1

1 quarantine completed 10/26 - 1

Maywood Fire Department – 1 – 1 positive

1 quarantine complete 5/5 - 1

Meadowbrook Fire Department – 1

1 quarantine completed 4/14

1 – 11 – 7 – 72 - 17

Melrose Park Fire Department – 6 – 6 positives

2 quarantine completed 4/9 - 2

4 quarantine completed 4/20 - 4

Metropolis Fire Department – 3 – 1 – 2 positives

1 quarantine completed 5/17

3 quarantined until 11/19 - 2

Midlothian Fire Department – 2 – 1 positive

2 quarantine completed 4/20 - 1

Minooka Fire Protection District – 6

3 quarantine completed 9/13

3 quarantine completed 10/19

Mokena Fire Protection District – 2 – 2 positives

2 quarantine completed 10/25 - 2

Morton EMS – 1 – 1 positive

1 quarantine completed 7/26 - 1

Mount Vernon Fire Department – 1 – 1 positive

1 quarantine completed 4/22 - 1

Mount Carmel Fire Protection District – 1 – 1 positive

1 quarantined until 11/12 - 1

Mount Prospect Fire Department – 7

2 quarantine completed 10/30

5 quarantine completed 11/3

Murphysboro Fire Department – 1 – 1 positive

1 quarantine completed 7/25 - 1

Naperville Fire Department – 26 – 5 positives

1 quarantine completed 4/28

1 quarantine completed 5/28 – 1

1 quarantine completed 9/8

23 quarantine completed 10/30 – 3

5 quarantined until 11/11 – 1

9 quarantined until 11/14 - 1

New Biden Fire Protection District – 1 – 1 positive

1 quarantine completed 4/10 - 1

New Haven Fire Department – 1 – 1 positive

1 quarantine completed 8/13 - 1

New Lenox Fire Protection District – 8 – 3 positives

3 – 13 – 18 – 55 – 22

8 quarantine completed 11/7 – 3

Niantic Fire Department – 1

1 quarantine completed 5/11

Nokomis Fire Protection District – 2 – 2 positives

2 quarantine completed 8/25 - 2

Normal Fire Department – 17 – 6 positives

2 quarantine completed 4/5 - 1

15 quarantine completed 7/26 - 5

North Aurora Fire Protection District – 5

5 quarantine completed 4/4

North Chicago Fire Department – 12 – 2 positives

3 quarantine completed 3/31

2 quarantine completed 5/13

1 quarantine completed 7/19 - 1

6 quarantine completed 10/15 - 1

North Palos Fire Protection District – 10 – 1 positive

10 quarantine completed 10/4 – 1

North Pekin Fire Protection District – 12 – 1 positive

11 cleared by testing

1 quarantine completed 9/23 - 1

Oak Brook Fire Department – 1 – 1 positive

1 quarantine completed 11/2 - 1

Oak Forest Fire Department – 5 – 2 positives

4 quarantine completed 5/1 – 1

1 quarantine completed 8/12 - 1

Oak Lawn Fire Department – 26 – 4 positives

2 quarantine completed 4/13

6 quarantine completed 7/18 - 1

11 quarantine completed 9/27 – 1

7 quarantine completed 11/2 – 2

Oak Park Fire Department – 10 – 3 positives

10 quarantine completed 7/21 - 3

0 – 12 – 0 – 109 - 25

Orland Fire Protection District - 21 – 3 positives

11 quarantine completed 4/14 – 1

10 quarantine completed 5/18 – 2

Osco/Andover Fire Protection District – 1 - 1 positive (1 non-duty related death)

1 quarantine completed 8/26 - 1

Ottawa Fire Department – 1 – 1 positive

1 quarantine completed 7/28 - 1

Palatine Rural Fire Department – 8 – 1 positive

2 quarantine completed 3/25

6 quarantine completed 6/19 – 1

Park Ridge Fire Department – 8 – 3 positives

5 quarantine completed 4/4

3 quarantine completed 7/16 - 3

Pekin Fire Department – 9 - 1 positive

5 quarantine completed 8/12 - 1

4 quarantine completed 4/4

Peoria Fire Department – 13 – 7 positives

5 quarantine completed 3/29 - 2
5 quarantine completed 8/3 - 2
3 quarantine completed 10/21 - 3

Plainfield Fire Protection District – 2 – 1 positive

1 quarantine completed 4/23
1 quarantine completed 9/7 - 1

Pleasant Plains Fire Protection District – 9 – 1 positive

9 quarantine completed 8/26 - 1

Posen Fire Department – 15 – 13 positives

15 quarantine completed 10/16 - 13

Quincy Fire Department – 18 – 8 positives

10 quarantine completed 7/5 – 3
2 quarantine completed 10/22 – 2
6 quarantine completed 11/2 - 3

River Grove Fire Department – 1 – 8 – 9 positives (1 related death)

2 quarantine completed 4/18 – 2
1 quarantine completed 5/4 - 1
5 quarantine completed 7/24 – 5

0 – 12 – 0 – 114 - 48

Roberts Park Fire Protection District – 1 – 1 positive

1 quarantine completed 4/3 - 1

Rock Island Fire Department – 3 – 1 positive

2 quarantine completed 4/6
1 quarantine completed 10/10 - 1

Rock Island Arsenal Fire Department – 9 – 5 positives

3 quarantine completed 4/29

4 quarantine completed 7/23 – 4

2 quarantine completed 8/21 – 1

Rockford Fire Department – 12 – 3 positives

2 quarantine completed 4/6

10 quarantine completed 5/18 – 3

Rolling Meadows Fire Department – 2

2 quarantine completed 4/8

Romeoville Fire Department – 8 – 6 positives

2 quarantine completed 4/4

6

6 quarantine completed 8/30 -

Roselle Fire Department – 1 – 1 positive

1 quarantine completed 5/28 – 1

Round Lake Fire Protection District – 8 – 1 positive

4 quarantine completed 5/15

4 quarantine completed 11/7 - 1

San Jose Fire Protection District - 1

1 quarantine completed 4/3

Saybrook-Arrowsmith Fire Department - 1

1 quarantine completed 4/9

Schaumburg Fire Department - 19 - 22 positives

8 quarantine completed 3/29 – 1

1 quarantine completed 5/23 – 1

20 quarantine completed 10/10 - 20

Schiller Park Fire Department – 5

5 quarantine completed 10/12

0 – 12 – 0 – 70 - 40

Skokie Fire Department - 17 - 2 positives

- 5 quarantine completed 3/26
- 3 cleared by testing
- 5 quarantine completed 3/30
- 1 quarantine completed 4/3
- 1 quarantine completed 4/20 – 1
- 1 quarantine completed 4/24
- 1 quarantine completed 8/4 - 1

South Holland Fire Department – 5 – 5 positives

- 5 quarantine completed 7/27 – 5

Springfield Fire Department – 45 – 5 positives

- 2 quarantine completed 3/25
- 6 quarantine completed 3/28
- 5 quarantine completed 4/13
- 4 quarantine completed 8/9
- 14 quarantine completed 8/20
- 2 quarantine completed 9/5
- 8 quarantine completed 9/14 – 3
- 3 quarantine completed 10/7 – 1
- 1 quarantine completed 10/31 - 1

Sterling Fire Department – 1 – 1 positive

- 1 quarantine completed 6/11 - 1

Stickney Fire Department – 9 - 5 positives

- 1 quarantine completed 3/30 – 1
- 1 quarantine completed 4/6 – 1

1 quarantine completed 4/11
2 quarantine completed 5/3 - 2
4 quarantine completed 10/19 - 1

Streamwood Fire Department- 16 - 2 positives

3 cleared by testing
2 quarantine completed 6/3
1 quarantine completed 8/17
6 quarantine completed 9/6
3 quarantine completed 9/13 - 2
1 quarantine completed 10/30

Streator Fire Department - 1

1 quarantine completed 11/3

Sugar Grove Fire Protection District - 3

2 quarantine completed 4/5
1 quarantine completed 4/20

0 - 8 - 0 - 97 - 20

Sullivan Fire Protection District - 1

1 quarantine completed 3/31

Sycamore Fire Department - 3

3 quarantine completed 9/6

Tinley Park Fire Department - 17 - 14 positives

1 quarantine completed 4/7
1 quarantine completed 5/1 - 1
1 quarantine completed 6/13 - 1
1 quarantine completed 7/24
2 quarantines completed 9/2 - 1
3 quarantines completed 9/13 - 3
1 quarantine completed 9/28 - 1
2 quarantines completed 10/4 - 2

2 quarantines completed 10/8 - **2**
3 quarantine completed 10/10 - **3**

Troy Fire Department – 5 – 1 positive
5 quarantine completed 8/13 - **1**

Tuscola Fire Department – 2
2 cleared by testing

Villa Park Fire Department – 1
1 quarantine completed 5/6

Viriden Fire Protection District - 1
1 quarantine completed 3/27

Wauconda Fire Protection District - 4
2 cleared by testing
2 quarantine completed 4/9

Waukegan Fire Department – 26 – 8 – 13 positives
6 quarantine completed 4/10 – **1**
1 quarantine completed 4/18
1 quarantine completed 11/7 – **1**
15 quarantined until 11/8 - **10**
11 quarantined until 11/11 – **1**

West Chicago Fire Protection District – 1 - 1 positive
1 quarantine completed 4/17 - **1**

West Frankfort Fire Department – 10 – 8 positives
10 quarantine completed 8/25 - **8**

Westchester Fire Department – 3 – 1 positive

1 – 11 – 26 – 53 - 37

2 quarantine completed 3/21
1 quarantine completed 10/4 - 1

Wheeling Fire Department – 2

2 quarantine completed 4/6

Wilmette Fire Department – 3 – 1 positive

1 quarantine completed 4/4

1 quarantine completed 4/13 – 1

1 quarantine completed 5/13

Wood Dale Fire Protection District – 1 – 1 positive

1 quarantine completed 8/19 - 1

Wood River – 1 – 1 positive

1 quarantine completed 8/28 - 1

Woodstock Fire Protection District – 1 – 1 positive

1 quarantine completed 5/4 - 1

Zion Fire and Rescue Department – 2 – 1 positive

1 quarantine completed 4/8

1 quarantine completed 9/29 -

1

0 – 7 – 0 – 13 - 6



Totals – 226 currently in quarantine
1,810 cleared by testing or quarantine completed
since 3/17
(3 duty related deaths, 2 non-duty related deaths)
2,036 firefighters affected since 3/17

933 positive COVID-19



19 department currently affected
181 departments affected since 3/17

Running Quarantine
Totals

<u>Date</u>	<u>Quarant</u>	Compl Quar	Pos Tests	Depts Affected	Pos per day
18-Mar	38	0	0	14	0
19-Mar	43	0	0	16	0
20-Mar	45	0	2	16	2
21-Mar	64	1	4	23	2
22-Mar	80	7	4	31	0
23-Mar	85	8	4	33	0
24-Mar	92	11	6	35	2
25-Mar	112	11	7	40	1
26-Mar	124	23	7	46	0
27-Mar	126	37	8	49	1
28-Mar	143	45	11	51	3
29-Mar	143	48	11	52	0
30-Mar	124	75	11	54	0
31-Mar	106	104	17	60	6
1-Apr	122	108	23	64	6
2-Apr	123	125	25	70	2
3-Apr	161	142	32	74	7




4-Apr	142	170	44	76	12
5-Apr	138	185	44	78	0
6-Apr	138	201	45	79	1
7-Apr	122	230	58	81	13
8-Apr	118	255	64	86	6
9-Apr	125	274	71	93	7
10-Apr	137	282	93	100	22
11-Apr	142	289	104	101	11
12-Apr	154	297	105	101	1
13-Apr	176	300	124	101	19
14-Apr	159	322	128	101	4
15-Apr	162	326	128	101	0
16-Apr	144	344	141	101	13
17-Apr	129	365	142	103	1
18-Apr	139	370	148	106	6
19-Apr	136	373	149	107	1
20-Apr	129	381	151	107	2
21-Apr	112	418	164	108	13
22-Apr	114	421	166	110	2
23-Apr	131	429	183	111	17
24-Apr	130	439	186	112	3
25-Apr	136	440	189	113	3
26-Apr	134	442	189	113	0
27-Apr	135	442	189	113	0
28-Apr	127	459	191	115	2
29-Apr	121	479	203	117	12
30-Apr	124	483	206	118	3
1-May	122	489	210	118	4
2-May	122	496	211	118	1
3-May	124	498	211	119	0
4-May	117	508	216	120	5



5-May	118	518	223	121	7
6-May	115	521	226	121	3
7-May	131	534	246	121	20
8-May	129	540	250	121	4
9-May	124	545	250	121	0
10-May	126	553	258	121	8
11-May	128	554	259	121	1
12-May	112	571	261	121	2
13-May	108	580	264	122	3
14-May	103	586	266	122	2
15-May	98	591	266	122	0
16-May	92	600	268	122	2
17-May	91	602	269	122	1
18-May	82	611	269	122	0
19-May	82	624	277	124	8
20-May	79	629	279	126	2
21-May	69	640	280	126	1
22-May	66	644	280	127	0
23-May	64	652	285	127	5
24-May	64	652	286	127	1
25-May	64	653	286	127	0
26-May	65	653	286	127	0
27-May	67	658	292	127	6
28-May	65	660	292	127	0
29-May	62	668	294	127	2
30-May	61	669	294	127	0
31-May	61	669	294	127	0
1-Jun	61	669	294	127	0
2-Jun	58	674	296	127	2
3-Jun	62	684	306	129	10
4-Jun	59	688	307	129	1

5-Jun	40	709	308	129	1
6-Jun	41	709	308	129	0
7-Jun	41	709	308	129	0
8-Jun	47	709	309	129	1
9-Jun	40	717	310	129	1
10-Jun	40	717	310	129	0
11-Jun	28	729	310	129	0
12-Jun	24	733	310	129	0
13-Jun	24	733	310	129	0
14-Jun	23	734	310	129	0
15-Jun	23	734	310	129	0
16-Jun	29	736	311	129	1
17-Jun	29	736	311	129	0
18-Jun	31	740	314	129	3
19-Jun	25	746	314	129	0
20-Jun	27	747	317	129	3
21-Jun	27	747	317	129	0
22-Jun	27	747	317	129	0
23-Jun	23	752	319	129	2
24-Jun	14	761	319	129	0
25-Jun	32	761	322	131	3
26-Jun	32	764	324	132	2
27-Jun	31	764	324	132	0
28-Jun	31	764	324	132	0
29-Jun	31	764	324	132	0
30-Jun	31	764	324	132	0
1-Jul	31	764	324	132	0
2-Jul	18	779	326	132	2
3-Jul	18	783	326	132	0
4-Jul	22	779	326	132	0
5-Jul	19	782	326	132	0

6-Jul	20	782	327	132	1
7-Jul	20	785	328	132	1
8-Jul	20	785	328	132	0
9-Jul	27	786	333	132	5
10-Jul	38	790	340	132	7
11-Jul	41	790	344	132	4
12-Jul	40	794	347	133	3
13-Jul	40	794	347	133	0
14-Jul	60	801	356	133	9
15-Jul	74	801	368	136	12
16-Jul	75	805	370	136	2
17-Jul	86	808	379	137	9
18-Jul	78	827	381	138	2
19-Jul	75	831	382	138	1
20-Jul	74	832	382	138	0
21-Jul	72	839	385	141	3
22-Jul	69	846	391	141	6
23-Jul	83	849	397	141	6
24-Jul	69	864	397	141	0
25-Jul	72	877	401	141	4
26-Jul	54	895	401	141	0
27-Jul	49	900	401	141	0
28-Jul	61	904	406	142	5
29-Jul	61	907	409	142	3
30-Jul	67	910	413	142	4
31-Jul	67	916	415	142	2
1-Aug	65	924	418	142	3
2-Aug	65	924	418	142	0
3-Aug	59	930	418	142	0
4-Aug	70	937	423	142	5
5-Aug	68	939	423	142	0

6-Aug	66	950	425	142	2	
7-Aug	66	951	426	143	1	
8-Aug	77	952	427	146	1	
9-Aug	78	953	427	147	0	
10-Aug	77	954	427	147	0	
11-Aug	107	970	460	147	33	
12-Aug	105	993	463	150	3	
13-Aug	98	1006	465	150	2	
14-Aug	109	1018	475	151	10	
15-Aug	118	1018	476	152	11	
16-Aug	118	1018	476	152	0	
17-Aug	110	1026	476	152	0	
18-Aug	113	1061	497	152	21	
19-Aug	114	1071	509	153	12	
20-Aug	110	1075	516	153	7	
21-Aug	119	1078	516	153	0	
22-Aug	111	1093	521	153	5	
23-Aug	111	1093	521	153	0	
24-Aug	109	1095	521	153	0	
25-Aug	76	1138	523	153	2	
26-Aug	63	1154	524	153	1	
27-Aug	67	1161	532	153	8	
28-Aug	78	1172	536	156	4	
29-Aug	81	1172	537	156	1	
30-Aug	75	1178	537	156	0	
31-Aug	79	1179	538	156	1	
1-Sep	86	1197	544	156	6	
2-Sep	84	1202	544	156	0	
3-Sep	94	1208	547	157	3	
4-Sep	91	1215	548	157	1	

5-Sep	99	1217	550	157	2
6-Sep	92	1226	551	157	1
7-Sep	80	1239	551	157	0
8-Sep	67	1258	553	158	2
9-Sep	70	1265	554	158	1
10-Sep	67	1274	555	158	1
11-Sep	63	1274	556	158	1
12-Sep	62	1277	557	158	1
13-Sep	52	1285	560	158	3
14-Sep	46	1294	560	159	0
15-Sep	47	1299	561	159	1
16-Sep	33	1325	561	160	1
17-Sep	31	1329	565	160	4
18-Sep	32	1329	566	160	1
19-Sep	32	1329	566	160	0
20-Sep	40	1332	567	160	1
21-Sep	41	1333	570	160	3
22-Sep	42	1333	571	160	1
23-Sep	42	1334	571	160	0
24-Sep	44	1334	573	160	2
25-Sep	43	1334	573	160	0
26-Sep	43	1334	573	160	0
27-Sep	35	1347	575	160	2
28-Sep	36	1347	575	160	0
29-Sep	31	1366	576	160	1
30-Sep	30	1369	577	160	1
1-Oct	40	1375	587	162	10
2-Oct	40	1375	587	162	0
3-Oct	43	1375	589	162	2
4-Oct	52	1381	592	162	3
5-Oct	58	1381	593	162	1

6-Oct	65	1382	597	163	4
7-Oct	69	1383	599	163	2
8-Oct	93	1411	636	164	37
9-Oct	102	1415	642	164	6
10-Oct	90	1436	642	164	0
11-Oct	95	1440	648	164	6
12-Oct	86	1450	650	164	2
13-Oct	104	1453	663	165	13
14-Oct	104	1453	663	165	0
15-Oct	122	1458	677	165	14
16-Oct	117	1478	688	166	11
17-Oct	115	1483	690	166	2
18-Oct	111	1487	690	166	0
19-Oct	98	1501	690	166	0
20-Oct	124	1517	720	166	30
21-Oct	130	1534	740	168	20
22-Oct	112	1554	745	168	5
23-Oct	131	1557	756	169	11
24-Oct	133	1559	757	170	1
25-Oct	186	1561	771	171	14
26-Oct	185	1562	771	171	0
27-Oct	196	1563	776	171	5
28-Oct	196	1588	787	171	11
29-Oct	183	1602	789	171	2
30-Oct	158	1634	796	172	7
31-Oct	213	1661	851	178	55
1-Nov	215	1661	852	178	1
2-Nov	195	1683	852	178	0
3-Nov	169	1709	852	178	0
4-Nov	172	1747	875	179	23
5-Nov	160	1761	875	179	0

6-Nov	205	1784	915	180	40
7-Nov	226	1810	933	181	18